EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77670	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:09
S2	3351	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (condition or setting or option or mode or prefer$8) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:41
S3	2083	S2 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:25
S4	865	S3 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:29
S7	502	S4 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:38
S8	153	S4 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:39
S9	512	S7 or S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:39
S10	387	S9 and ((differ$8 or distinguish$5 or apart or unique or mark$5 or symbol$5 or x) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:40
S11	180	S9 and ((differ$8 or distinguish$5 or apart or unique or mark$5 or symbol$5 or x) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:40
S12	392	S10 or S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:40

S14	314	S12 and ((select$5 or choos$5 or designat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:43
S15	17276	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:44
S16	25101	709/201-203,206,217-219,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:45
S19	6173	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 12:47
S20	77	S14 and (S15 or S16 or S19)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:41
S30	77670	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S31	3351	S30 and ((((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (condition or setting or option or mode or prefer$8) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:56
S32	2083	S31 and ((((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:03
S33	865	S32 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:06
S34	502	S33 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:07

S35	153	S33 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:07
S36	512	S34 or S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S37	387	S36 and ((differ$8 or distinguish$5 or apart or unique or mark$5 or symbol$5 or x) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S38	180	S36 and ((differ$8 or distinguish$5 or apart or unique or mark$5 or symbol$5 or x) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S39	392	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S40	314	S39 and ((select$5 or choos$5 or designat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 15:12
S41	17276	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S42	25101	709/201-203,206,217-219,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S43	6173	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 13:45
S44	77	S40 and (S41 or S42 or S43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:13
S45	709	S30 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)) same ((output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or match$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:19

S46	496	S45 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:20
S47	253	S46 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:21
S48	145	S47 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:23
S49	59	S47 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:24
S50	147	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:12
S51	38	S50 and (S41 or S42 or S43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:26
S52	2	S47 and hitaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:20
S53	2	S46 and hitaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:16
S54	2	S45 and hitaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:16
S55	10	S30 and hitaka.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:16
S56	9140	S30 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:18

S57	2806	S56 and ((output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or match$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:19
S59	1957	S57 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:20
S60	823	S59 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:21
S61	449	S60 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (capab$8 or incapab$8 or able or ability or inability or unable or selectable or choos$6 or unselect$5 or suitab$6 or unsuitab$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:23
S62	102	S60 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:26
S63	454	S61 or S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:26
S64	175	S63 and (S41 or S42 or S43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 14:26
S65	96	S64 and (((select$5 or choos$5 or designat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (job or request$5 or order$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 15:16

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	((screen or display$5 or monitor) same ((generat$5 or formed or forming or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((selectable or non$3selectable or ((capab$7 or incapab$7) with (select$5 or choos$5))) near3 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:38
S2	146	((screen or display$5 or monitor) same ((generat$5 or formed or forming or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((selectable or ((enabl$5 or capab$7) with (select$5 or choos$5))) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:40
S3	2	S2 and ((screen or display$5 or monitor) same ((generat$5 or formed or forming or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((non$5selectable or ((disabl$5 or incapab$7) with (select$5 or choos$5))) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:41
S4	640	((screen or display$5 or monitor) same ((print$5 adj3 (data or instruction))) same ((selectable or ((enabl$5 or capab$7) with (select$5 or choos$5))) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:42
S5	3024	((screen or display$5 or monitor) same ((print$5 adj3 (data or instruction))) same ((selectable or ((enabl$5 or capab$7 or able or ability))) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:44
S6	97	S5 and ((screen or display$5 or monitor) same ((print$5 adj3 (data or instruction))) same ((non$3selectable or ((disabl$5 or in$3capab$7 or unable))) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:45
S7	58	S6 and (plural$5 near4 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:45
S8	111	((screen or display$5 or monitor) same ((non$3selectable or ((disabl$5 or in$3capab$7 or unable))) with (print$5 adj3 (data or instruction)) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:49
S9	37	((screen or display$5 or monitor) same ((non$3selectable or ((disabl$5 or in$3capab$7 or unable))) with ((print or printing) adj3 (data or instruction)) with (printer or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:50

EAST Search History

S10	86	((screen or display$5 or monitor) same ((cannot or "can't") with ((print or printing) adj3 (data or instruction)) with (printer or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:56
S11	49	S10 and (plural$5 near4 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:57
S12	104	((screen or display$5 or monitor) same ((cannot or "can't" or unprintable or incapab$6 or unable or incompatib$6) with ((print or printing) adj3 (data or instruction)) with (printer or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:40
S13	57	S12 and (plural$5 near4 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:41
S14	31	((screen or display$5 or monitor) same ((unprintable or incapab$6 or unable or incompatib$6) with ((print or printing) adj3 (data or instruction)) with (printer or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:41
S15	20	S14 and (plural$5 near4 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:42
S16	2	"6198542".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:51
S17	2	"6822754".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 12:53
S18	2	"7042585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:04
S19	1	"6198542".pn. and (select$56 same instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:18
S20	1	"6198542".pn. and (instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:19

S21	2	"6804019".pn.		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1071	(pars$5 with (job or request$5)) same (print$5 or copying or copy or copier or scan$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:49
S2	43	S1 and ((plural$5 or list$5) with (print$5 or copying or copy or copier or scan$6)) same (candidate or capable or able or ability or idle or active) same (user or operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:51
S3	8	S2 and ((compar$5 or match$5 or analy$7) same (condition or setting or option or mode or (print$5 near3 (data))) same (job or request$5) same (plural$5 or list$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:52
S4	8	S3 and ((screen or display$5 or monitor) same (print$5 or copying or copy or copier or scan$6) same (user or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 16:54
S5	2	"20020063887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:02
S6	2	"5937148".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:03
S7	2	"5287194".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:10
S8	257	S1 and ((compar$5 or match$5 or analy$7) same (condition or setting or option or mode or (print$5 near3 (data))) same (job or request$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:17
S9	77	S8 and ((screen or display$5 or monitor) same (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active) same (print$5 or copying or copy or copier or scan$6) same (user or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:19
S10	7	S8 and ((screen or display$5 or monitor) same ((indicat$5 or warn$5 or notif$8 or informing or informed or inform) with (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active)) same (print$5 or copying or copy or copier or scan$6) same (user or operator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:22

S11	4	S1 and ((screen or display$5 or monitor) same ((indicat$5 or warn$5 or notif$8 or informing or informed or inform) with (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active)) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:25
S12	642	((screen or display$5 or monitor) same ((indicat$5 or warn$5 or notif$8 or informing or informed or inform) with (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active)) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:28
S13	86	S12 and 358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 17:30
S15	2	"6198542".pn. and (S14 or "16")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:31
S16	15293	((analy$8 or pars$5 or content) with (job or request$5)) same (print$5 or copying or copy or copier or scan$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:43
S17	151	((analy$8 or pars$5 or content) with (job or request$5)) same (print$5 or copying or copy or copier or scan$6) same (user or operator) same ((receiv$5 or retriev$7) with (list$5 or group$5 or candidate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:44
S18	2	S17 and ((user or operator) with (adjust$5 or chang$5 or updat$5 or correct$5) with (condition or setting or option or selection) same (re$3select$5 or updat$5) same (list$5 or group$5 or candidate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:47
S19	201	((analy$8 or pars$5 or content) with (job or request$5)) same (print$5 or copying or copy or copier or scan$6) same (user or operator) same ((receiv$5 or retriev$7 or provid$5) with (list$5 or group$5 or candidate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:50
S20	63	S19 and ((user or operator) with (adjust$5 or chang$5 or updat$5 or correct$5) with (job or request$5 or condition or setting or option or selection) same (list$5 or group$5 or candidate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:52
S21	3905	((user or operator) same ((receiv$5 or retriev$7 or provid$5) with (list$5 or group$5 or candidate) with (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:56

S22	80	S21 and ((user or operator) with (adjust$5 or chang$5 or correct$5) with (job or request$5 or condition or setting or option or selection) same ((updat$5 or narrow$5 or remov$5) with (list$5 or group$5 or candidate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:58
S23	3	((user or operator) with (adjust$5 or chang$5 or correct$5) with (print$5) with (condition or setting or option or selection) same ((updat$5 or narrow$5 or remov$5) with (candidate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:02
S24	4	((adjust$5 or chang$5 or correct$5) with (print$5) with (condition or setting or option or selection) same ((updat$5 or narrow$5 or remov$5) with (candidate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:03
S25	5	((adjust$5 or chang$5 or correct$5) with (print$5) with (data or condition or setting or option or selection) same ((updat$5 or narrow$5 or remov$5) with (candidate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:03
S26	291	((adjust$5 or chang$5 or correct$5) with (print$5) with (data or condition or setting or option or selection) same ((updat$5 or narrow$5 or remov$5) with (print$5 or copying or copy or copier or scan$6)) same ((list$5 or group$5 or candidate or plural$5) with (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:05
S27	274	((adjust$5 or chang$5 or correct$5) with (print$5) with (data or condition or setting or option) same ((updat$5 or narrow$5 or remov$5) with (print$5 or copying or copy or copier or scan$6)) same ((list$5 or group$5 or candidate or plural$5) with (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:06
S28	102	S27 and ((network$5) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:07
S29	33	S28 and ((receiv$5 or retriev$7 or provid$5) with (list$5 or group$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:07
S30	6	((compar$5) with (print$5 near3 data)) same ((updat$5 or narrow$5 or remov$5) with (list$5 or candidate)) same ((list$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:13
S31	12	((compar$5) with (print$5 near3 data)) same ((search$5 or updat$5 or narrow$5 or remov$5) with (list$5 or candidate)) same ((list$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:16
S32	32	((compar$5) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (list$5 or candidate)) same ((list$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:18

S33	55	((compar$5 or match$5) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (list$5 or candidate)) same ((list$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:19
S34	70	((judg$5 or determin$6) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (list$5 or candidate)) same ((list$5 or candidate) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:23
S35	47	((judg$5 or determin$6) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (database)) same ((database) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	.ON	2008/02/27 17:31
S36	62	((judg$5 or determin$6 or analy$6) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (database)) same ((database) with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:32
S37	49	S36 and ((user or operator) same ((receiv$5 or retriev$5 or download$5) wtih ((database) with (print$5 or copying or copy or copier or scan$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:33
S38	13	S36 and ((user or operator) same (plural$5 with (print$5 or copying or copy or copier or scan$6)) same ((receiv$5 or retriev$5 or download$5) wtih ((database) with (print$5 or copying or copy or copier or scan$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:35
S39	27	S36 and ((user or operator) same ((receiv$5 or retriev$5 or download$5) wtih ((database) with (print$5 or copying or copy or copier or scan$6)))) and (plural$5 with (print$5 or copying or copy or copier or scan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:36
S40	11	((judg$5 or determin$6 or analy$6 or pars$6) with (print$5 near3 (condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (list$5 or database or table or lut or look$3up)) same ((list$5 or database or table or lut or look$3up) with (plural$5 near4 (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:40
S41	19	((judg$5 or determin$6 or analy$6 or pars$6) with (print$5 near3 (job or request$5 or condition or instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (candidate or list$5 or database or table or lut or look$3up)) same ((candidate or list$5 or database or table or lut or look$3up) with (plural$5 near4 (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 17:43

EAST Search History

S42	2	((after or follow$5) with (generat$5 or form$5 or creat$5) with (print$5 near3 (instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (candidate or list$5 or database or table or lut or look$3up)) same ((candidate or list$5 or database or table or lut or look$3up) with (plural$5 near4 (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:04
S43	16	((generat$5 or form$5 or creat$5) with (print$5 near3 (instruction or data or file))) same ((find$5 or search$5 or updat$5 or narrow$5 or remov$5) with (candidate or list$5 or database or table or lut or look$3up)) same ((candidate or list$5 or database or table or lut or look$3up) with (plural$5 near4 (print$5 or copying or copy or copier or scan$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:06
S44	2	"6822754".pn. and (temporary with (print$5 adj2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:16
S72	643	((screen or display$5 or monitor) same ((indicat$5 or warn$5 or notif$8 or informing or informed or inform) with (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active)) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 10:44
S73	86	S72 and 358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 10:44
S74	16	((screen or display$5 or monitor) same ((generat$5 or form$5 or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((indicat$5 or warn$5 or notif$8 or informing or informed or inform) with (incapable or selectable or disable$3 or enabl$3 or candidate or capable or able or ability or idle or active)) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 10:53
S75	13	S74 and ((plural$5 or network$5 or cluster$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 10:55
S76	12	S74 and ((plural$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 10:55

S77	74	((screen or display$5 or monitor) same ((generat$5 or form$5 or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((incapable or selectable or disable$3 or enabl$3 or candidate or capab$7 or able or ability) with (print$5 adj3 (data or instruction))) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:00
S78	14	S77 and 358/1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:05
S79	29	S77 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:08
S82	29	S77 and "358"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:09
S83	24	S79 and ((plural$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:09
S84	1	"5450571".pn. and ((screen or display$5 or monitor) same ((generat$5 or form$5 or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((incapable or selectable or disable$3 or enabl$3 or candidate or capab$7 or able or ability) with (print$5 adj3 (data or instruction))) same (print$5 or copying or copy or copier or scan$6) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:11
S85	87	((screen or display$5 or monitor) same ((generat$5 or form$5 or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((match$5 or compar$5 or incapable or selectable or disable$3 or enabl$3 or candidate or capab$7 or able or ability) with (print$5 adj3 (data or instruction))) same ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:13
S86	44	S85 and ((plural$5) near3 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:15
S87	22	S86 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:17

EAST Search History

S88	62	((screen or display$5 or monitor) same ((generat$5 or form$5 or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((match$5 or compar$5 or incapable or selectable or disable$3 or enabl$3 or candidate or capab$7 or able or ability) with (print$5 adj3 (data or instruction))) same ((plural$5) near3 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:22
S89	42	S88 and ((user or operator) with (select$5 or choos$5 or designat$5) with (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:23
S90	31	((screen or display$5 or monitor) same ((generat$5 or formed or forming or creat$5 or produc$5) with (print$5 adj3 (data or instruction))) same ((selectable or non$3selectable or ((capab$7 or incapab$7) with (select$5 or choos$5))) near3 (print$5 or copying or copy or copier or scan$6 or shop or vendor or provider)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 11:34

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	79173	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S2	7227	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (host or user or computer or workstation or terminal or client) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S3	295	S2 and (((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S4	196	S3 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S5	68	S4 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S6	57	S5 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5 or selectable or choos$6 or unselect$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S7	6	S5 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S8	57	S6 or S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22

S9	17519	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S10	25607	709/201-203,206,217-219,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S11	6312	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S12	21	S8 and (S9 or S10 or S11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 10:22
S13	1	"692229".ap. and sugiyama	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 11:38
S14	210847	((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (correspond$5 or satisf$8 or able or suitab$7 or capab$8 or ability or "having" or compatib$7 or match$5 or selectable or choos$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:27
S15	4635	S14 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (incapab$5 or unsuit$7 or unable or inability or incompatib$7 or unselect$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:28
S16	· 1089	S15 and (host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:28
S17	91	S16 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:29
S18	37	S17 and (S9 or S10 or S11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 12:30
S20	21590	((display$5 or screen or monitor) same (candidate or print$5 or (image near3 (form$5 or record$5 or reproduc$5))) same (correspond$5 or satisf$8 or able or suitab$7 or capab$8 or ability or "having" or compatib$7 or match$5 or selectable) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 13:46

EAST Search History

S21	79238	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S22	7233	S21 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (host or user or computer or workstation or terminal or client) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S23	296	S22 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S24	197	S23 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S25	68	S24 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S26	57	S25 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5 or selectable or choos$6 or unselect$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S27	6	S25 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S28	57	S26 or S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03

S29	17538	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S30	25643	709/201-203,206,217-219,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S31	6324	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S32	21	S28 and (S29 or S30 or S31)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:03
S33	6050	S21 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same ((host or user or computer or workstation or terminal or client) with ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5 or provid$5 or submit$8) with (condition or setting or option or mode or prefer$8))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:11
S34	273	S33 and (((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:15
S35	73	S34 and ((host or user or computer or workstation or terminal or client) same (((print$5) near3 (data or command$3)) with (generat$5 or creat$5 or produc$5 or form$5 or output$5)) same (print$3 near3 (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:16
S36	12	S35 and ((search$5 or find$5 or discriminat$5 or judg$6 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5) near3 (data or command$3)) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:20
S37	11	S36 and (((user or operator) with (select$5 or choos$5 or designat$5)) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:25

S38	1	"692229".ap. and hideki	.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 17:49

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77878	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:28
S2	3496	S1 and ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:31
S3	0	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) same updat$5 same (re$6select$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:32
S4	55	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) same updat$5 same (select$5 or choos$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:33
S5	10	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) same (download$5 or upload$5) same updat$5 same (select$5 or choos$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:35
S6	34	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) same (download$5 or upload$5) same updat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:36
S7	147	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) with updat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:40
S8	17302	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:37
S9	25	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:42
S10	5	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) near3 (shop or provider)) with updat$5) same ((select$5 or choos$5 or designat$5) with (repeat$5 or again))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:42
S11	115	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) with updat$5) same ((select$5 or choos$5 or designat$5) with (repeat$5 or again))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:55

S12	25	S11 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:42
S13	24	S12 and ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with plural$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:47
S14	35	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) with updat$5) same (status or condition) same (((select$5 or choos$5 or designat$5) with (repeat$5 or again)) or (re$3submit$5 or re$3select$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 13:59
S15	23	S1 and updat$5 same (status or condition) same ((((select$5 or choos$5 or designat$5) with (repeat$5 or again)) or (re$3submit$5 or re$3select$5)) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:00
S16	65	S1 and ((updat$5 or current$5 or latest) same (state or status or condition)) same ((((select$5 or choos$5 or designat$5) with (repeat$5 or again)) or (re$3submit$5 or re$3select$5)) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:34
S17	90	S1 and ((updat$5 or current$5 or latest) same (capability or availability or state or status or condition)) same ((((select$5 or choos$5 or designat$5) with (repeat$5 or again)) or (re$3submit$5 or re$3select$5)) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:02
S18	20	S17 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:20
S19	2	"7042585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 14:20
S20	2	"7042585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:11
S21	1	"7042585".pn. and "141"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:15
S22	1	"7042585".pn. and print adj2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:13

S23	1	"7042585".pn. and ((generat$5 or produc$5 or creat$5) with (print adj2 request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:13
S24	1	"7042585".pn. and ("143" or "144")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:18
S25	1	"7042585".pn. and ("145")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:23
S26	0	"7042585".pn. and resubmi$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:23
S27	1	"7042585".pn. and re$3submi$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:23
S28	1	"045158".ap. and (updat$5 same select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:32
S29	77925	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:35
S33	55	S29 and (((updat$5) with (select$5 or chosen or designat$5) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((re$3select$5 or re$3designat$5 or ((choos$5 or select$5 or designat$5) with (again or repeat$5))) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:46
S34	17312	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:42
S35	14	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 09:42
S36	9	S29 and ((((determin$8 or inqui$8 or judg$5 or discriminat$5) with (updat$5 or chang$5) with ((select$5 or chosen or designat$5) near4 (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))) same ((re$3select$5 or re$3designat$5 or ((choos$5 or select$5 or designat$5) with (again or repeat$5))) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:09

S37	9	S36 and ((plural$5) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:11
S38	16	S29 and ((determin$8 or inqui$8 or judg$5 or discriminat$5) with (updat$5 or chang$5)) same ((select$5 or chosen or designat$5) near4 (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same (re$3select$5 or re$3designat$5 or ((choos$5 or select$5 or designat$5) with (again or repeat$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:16
S39	14	S38 and ((plural$5) near3 (print$5 or record$5 or reproduc$5 or (image near3 (form$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:19
S42	165	S29 and ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (updat$5 or chang$5)) same ((select$5 or chosen or designat$5) near4 (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same (re$3select$5 or re$3designat$5 or ((choos$5 or select$5 or designat$5) with (again or repeat$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:16
S44	82	S42 and (((plural$5) near3 (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((select$5 or chosen or designat$5 or choos$5) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:58
S45	1	"6804019".pn. and "s11"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 11:01
S46	0	"6804019".pn. and (plural$5 with "41")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 11:02
S47	0	"6804019".pn. and (plural$5 same "41")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:02
S48	2	"6304345".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:03
S49	2	"7068391".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:06
S50	1	"7068391".pn. and (spot adj2 color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:57

S51	2	"7145679".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:37
S52	2	"20020063887".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 14:07
S53	2	"6804019".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 14:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	77702	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:18
S2	7099	S1 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (host or user or computer or workstation or terminal or client) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:20
S3	290	S2 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:21
S4	191	S3 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:22
S5	65	S4 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3))) same (correspond$5 or satisf$8 or able or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:23
S6	292	S2 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:21
S7	193	S6 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:22

S8	65	S7 and ((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:23
S9	54	S8 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5 or selectable or choos$6 or unselect$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:24
S10	5	S8 and ((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (compatib$6 or incompatib$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:27
S11	54	S9 or S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:28
S12	17290	358/1.14,1.15,1.16,401,296,1.1,1.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:27
S13	25119	709/201-203,206,217-219,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:27
S14	6183	705/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:28
S15	21	S11 and (S12 or S13 or S14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:59
S16	35	S11 and ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (shop$5 or site or location or provider or providing or kiosk or branch or office))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:43
S17	14	S11 and ((plural$5 or multiple or cluster$5) with (print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (shop$5 or site or location or provider or providing or kiosk or branch or office))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:56

S18	27	S11 and ((select$5 or choos$5 or designat$5) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (job or request$5 or order$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:25
S19	10	S18 and (S12 or S13 or S14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:59
S20	19	(hitaka near3 yosato).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:21
S21	4	S20 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:24
S22	9	S20 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:24
S23	5	S22 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (host or user or computer or workstation or terminal or client) same ((notif$8 or receiv$5 or input$5 or inform$3 or transmi$7 or sen$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:28
S24	0	S23 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) with (plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:27
S25	0	S23 and ((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) with (condition or setting or option or mode or prefer$8)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:29

EAST Search History

S26	5	S23 and ((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:29
S27	5	S26 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:30
S30	6907	(host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (network$5 or lan or wan or intranet or internet or (line)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:18
S31	1114	S30 and (((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (server or manag$8 or controll$5 or distribut$5)) same (host or user or computer or workstation or terminal or client) same ((condition or setting or option or mode or prefer$8))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:20
S32	85	S31 and ((((list$5 or output$5 or determin$7 or judg$5 or transmi$7 or search$5 or find$5 or discriminat$5) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))))) same ((correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5) same (condition or setting or option or mode or prefer$8))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:21
S33	36	S32 and ((host or user or computer or workstation or terminal or client) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)) same (generat$5 or creat$5 or produc$5 or form$5 or output$5) same (condition or setting or option or mode or prefer$8)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:22
S35	25	S33 and (((judg$6 or discriminat$5 or determin$5 or predict$5 or match$5 or compar$6) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (data or command$3)))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:24
S36	15	S35 and (((web$site or brows$5 or display$5 or screen or monitor or interfac$3 or gui) same (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5))) same (correspond$5 or satisf$8 or able or incapab$5 or suitab$7 or unsuit$7 or capab$8 or ability or unable or inability or "having" or compatib$7 or incompatib$7 or match$5 or selectable or choos$6 or unselect$5))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:24

| S37 | 3 | S36 and (((select$5 or choos$5 or designat$5) same ((plural$5 or multiple) with (candidate or print$5 or record$5 or reproduc$5 or (image near3 (form$5)))) same ((print$5 or record$5 or reproduc$5 or (image near3 (form$5))) with (job or request$5 or order$3)))).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/02 12:26 |